

Commonwealth of Kentucky Energy and Environment Cabinet

Division of Water

Construction Application For Drinking Water Treatment

See the instructions for more information about selected portions of this checklist. Questions on completing this checklist? Contact the Water Infrastructure Branch at 502/564-3410 or visit our website at http://www.water.ky.gov/dw for more information.

I. Treatment Project Information
Project Name:
Project County: Estimated Project Cost:
Project Latitude/Longitude (DMS):
11 Digit Hydrologic Unit Code (HUC):
Is this a federally funded project:
☐ SPAP
Other:
If yes, has an Environmental Information Document (EID) been reviewed and approved?
If the project has been submitted to the State Clearinghouse for review, provide the SAI number:
Identify all other funding sources:
Does this project modify an existing water treatment plant?
Provide a DETAILED description of work to be performed for this project. Attach additional sheets as needed:
Identify how the sanitary wastewater is handled at this site:
II. Utility Information
Utility Name:PWSID:
Street Address: County:
City, State, Zip:
Phone: Fax: Email:
Is the system currently under any type of waterline sanctions or Agreed Orders?

rm of sanction?
ds for Water Works" (Ten h at least one set having an opy of the plans and specifications on the CD/DVD shall be in a named "Specifications".
the other set shall be 11" X 17")
sign Capacity:
sign (

D. Other Information to be Submitted with Project

Site				
Provide a copy of the	$U.S.G.S.\ 7\ \frac{1}{2}$ minute to	pographic map with	the location(s) of the prop	posed project.
What is the 100 year floo	d elevation for the proje	ect site?		
What is the 500 year floo	d elevation or flood of a	record for the projec	t site?	
Intake and Raw Water Tr	ansmission			
Provide the Latitude and I	ongitude (DMS) of the	intake and River M	ile Index if known:	
Latitude:	Longitude:		_ River Mile Index:	
What is the raw water sou	rce?			
☐ If the source is new, p	rovide 1 year of raw wa	ıter data.		
Provide water level elevat	ons for surface water s	ources:		
Low Level:				
Normal Level:				
Flood Level:				
For surface water sources,	what type of intake wil	l be used?		
☐ Floating				
Screened				
☐ Wet Well				
Other:				
Does the intake have the c	apability to draw from	multiple levels?	If yes, explain:	
Is the intake screened?				
Is a method for cleaning p	rovided?	If y	yes, describe:	
Where is the raw water sar	mple tap located?			
Are any chemicals fed at t	he intake?	If yes, list: _		
Is the intake more than 5 r	niles downstream or 1,0	000 ft upstream of ar	ny sewage outfall?	
What is the flow rate into	the intake?		<u></u>	
If a groundwater source is	used:			
Number of Wells:	V	Vell Capacities:		
☐ Provide water quality	and quantity data for to	est wells.		
Raw Water Pump Data:				
Number of Pumps	Capacity (GPM)	TDH	Power (HP)	
T	1 7 (- 7)			

Are variable frequency drives (VFD) to be used?

Raw Water Transmission Main Data:

	Waterline Material	Waterline Size	Linear Feet	
Are any				chemicals fed in the raw
water				transmission main or wet-
well?				<u> </u>
If yes,				list:
5. Pretreatm	ent			
	g Basin Volume:			
Are any ch	emicals fed here?	List the chemical	s fed along with the fee	ed locations:
Is aeration	used?	If yes, purpose and	type:	
Are provisi	ions to feed carbon provide	d? F	Rate:	
. Rapid Mix	K			
Type of Ra	apid Mix:			
П	Static Mixer			
$\overline{\Box}$	Conventional Rapid Mix			
	Other:			
				n:
Retention 7	Гіте:	Velocity Gradi	ent (G):	
5. Flocculation	on			
Number of	trains:	Number of Stages:		
Basin Volu	ıme:	Dimensions:		
Detention 7	Time:	Flow through Rate:		
Mixer Spee	ed (sec):	Is the flocculation s	peed tapered through t	he process?
5. Sedimenta	ntion			
Flow Velo	city from Flocculation to Se	edimentation:		
Volume: _	D	imensions:		
Flow Thro	ugh Velocity:	Detention Time	e:	<u>_</u>
Overflow I	Rate (gpm/ft ²):	Weir Loadin	g Rate (gpd/ft):	
	ettlers to be used?			
		Dimensions:		
Are Plate S				
	v rate for plate settlers based			

If yes, provide the follow	ving:				
Number of trains:		_ Capacity:	Basin Volumes: _		
Basin Dimension	s:	Retention Time:			
		Hydrocyclone Capacity (GPM):			
Number of Recyc	ele Pumps:	Recycle Pump Capacity (GPM):			
Overflow Rate (C	GPM/ft ²):	Number of Contact Basins:			
Contact Basin Vo	olume:	Contact Basin I	Dimensions:		
Contact Time:					
Filtration					
Type of Filtration:		Number of Filters:			
Filter Area:		_ Total Filter Box Depth:			
Media	Depth	Effective Size	Uniform Coeffic		
Filtration Rate at Design	Capacity:		-		
Number of	Canacity	TDH	Power (HP)		
n 1 1 n	Capacity	IDII	rower (III)		
Backwash Pumps					
Backwash Pumps					
Backwash Pumps					
Backwash Rate:					
Backwash Rate:	wash water supply?				
Backwash Rate:	wash water supply? wash utilized?	Which?			
Backwash Rate: What is the source of the sair scouring or surface Number of Backwash Tro	wash water supply? wash utilized? oughs:	Which? Dimension	ns:		
Backwash Rate:	wash water supply? wash utilized? oughs: Distance	Which? Dimension from media surface to botto	ns: om of backwash trou		
Backwash Rate: What is the source of the is air scouring or surface Number of Backwash Tropesign Flow (gpm): Are rate of flow controlled	wash water supply? wash utilized? oughs: Distance ers provided for back	Which? Dimension from media surface to botto washing?	ns: om of backwash trou		
Backwash Rate:	wash water supply? wash utilized? oughs: Distance ers provided for back	Which? Dimension from media surface to botto washing?	ns: om of backwash trou		
Backwash Rate: What is the source of the Is air scouring or surface Number of Backwash Tro Design Flow (gpm): Are rate of flow controlle Is filter-to-waste capabili Turbidimeter Locations:	wash water supply? wash utilized? oughs: Distance ers provided for back	Which? Dimension from media surface to botto washing?	ns: om of backwash trou		
Backwash Rate:	wash water supply? wash utilized? oughs: Distance ers provided for back	Which? Dimension from media surface to botto washing?	ns: om of backwash trou		
Backwash Rate:	wash water supply? wash utilized? oughs: Distance ers provided for back ity provided?	Which? Dimension from media surface to botto washing?	ns: om of backwash trou		
Backwash Rate:	wash water supply? wash utilized? oughs: Distance ers provided for back ity provided? lter Effluent (prior to	Which? Dimension from media surface to botto washing?	ns: om of backwash trou		
Backwash Rate:	wash water supply? wash utilized? oughs: Distance ers provided for back ity provided? lter Effluent (prior to	Which? Dimension from media surface to botto washing? filter-to-waste)	om of backwash trou		
Backwash Rate:	wash water supply? wash utilized? oughs:	Which? Dimension from media surface to botto washing? filter-to-waste)	om of backwash trou		
Backwash Rate:	wash water supply? wash utilized? oughs: Distance ers provided for back ity provided? lter Effluent (prior to lter Effluent eaning agent will be u	Which? Dimension from media surface to botto washing? filter-to-waste)	om of backwash trou		

Q	C	earwel
ი.	•	earwei

If an offsite tank is used as a clearwell, provide location, coordinates and capacity:	
Provide Contact Time (CT) Calculations.	
9. High Service Pumps	
Number of Pumps Capacity (GPM) TDH Power (HP)	
Are variable frequency drives (VFD) to be used?	_
10. Disinfection	
Check all forms of disinfection to be used:	
Chlorine Gas	
☐ Hypochlorite	
Chloramines	
□ UV	
Other:	
List the locations of all disinfectant injection points:	
Chlorine Room Information:	
Exhaust Fan Capacity (cfm): Air Exchange Rate:	
Are air inlet louvers near the ceiling? Do ventilation fans take suction near	
Is the chlorine room equipped with panic hardware and alarms?	
Is the chlorine room equipped with panic hardware and alarms?	
Is the chlorine room equipped with panic hardware and alarms? Is a bottle of Ammonium Hydroxide provided? Does the chlorine room have a shatterproof inspection window?	
Is the chlorine room equipped with panic hardware and alarms?	n?

UV Informat	zion:				
UVV	Wavelength:	Do	osage (MJ/cm ²): _		
Are t	he bulbs protected?				
	e UV assembly accessit	•	1	, 3	
	ensor provided to ensu	re UV light is bei	ng delivered at the	e appropriate w	avelength and dosage
Ammonia In					
	ust Fan Motor Capacity				
	nmonia room equipped				
	the ammonia room have	_	_		
	separate switches for fa			ne room?	
	as scrubber provided?				
11. Other Chen		a 4a laa waad in 4h		h.al	
	rmation about chemical	Feed	Bulk Tank	Day Tank	Feed Rate at
Chemical	Purpose	Location	(gal)	(gal)	Design Capacity
	be added as a premixed				
•	what is the hopper capac	•			
Are fireproof	f/explosion proof preca	utions provided?	D	Describe:	
		. 1 10			
Are floor dra	ins and containment pr	ovided?			
	Chemical		Containmen	nt Capacity	
12. Treatment	Wastewater				
Disposal Me	thod for Treatment Wa	stewater:			
Lagoo					
☐ Dewar	tering				
Other:					

	How much treatment wastewater does the water treatment plant produce?
	Lagoon capacity:
	13. General
	Provide a process flow schematic.
	Provide a signed letter of acceptance from the utility, which states that the utility has reviewed and approved
	the plans and specifications.
	If the project is funded by a State Revolving Fund Loan (SRF) provide a completed SRF Plans and
	Specifications Checklist along with 1 complete printed copy of the project specifications.
IV.	Fees
	oney order must be made payable to "Kentucky State Treasurer" for the total amount. Fees do not apply to projects
FUNDED b	by a municipality, water district, or other publicly owned utility.
	Project Category: Total Amount: \$